THE WELD
THAT HELD

"PITTSBURGH PERFECT" FENCE

FOR SALE BY

FROM
HENRY C. SNOWDEN, Jr.
MEDIA, PA.

Manufactured Exclusively by

Pittsburgh Steel Company
Pittsburgh, Pa.

"PITTSBURGH PERFECT"

ELECTRICALLY WELDED FENCES

are enjoying phenomenal success, and are conceded to be far superior to any other fences on the market. Thousands of pleased fence users will testify that "Pittsburgh Perfect" Electrically Welded Fences

Will **stand** ordinary as well as **hard usage.**

Will not sag in Summer's heat nor break in the cold of Winter.

Are made of the **best material** for fencing purposes. (Basic Open-Hearth Steel.)

Have **stays that will not slip,** nor can they be moved out of place.

Will conform to the most uneven ground and can be erected over hills and through valleys as well as on level ground.

Have **no slack wires** to spoil the appearance as well as the efficiency.

Do not require an expert to erect.

Are **low in price.**

Made with stay wires as large as the line wires.

A trade winner and a great seller is the **"Pittsburgh Perfect" Poultry and Garden Fence,** as it has solved the problem of fencing Poultry, Horses, Hogs and Cattle with one style of fence. (See page 18.)

"PITTSBURGH PERFECT" FENCES for Field, Farm, Ranch, Lawns, and Poultry, are made exclusively by us.

The only "ELECTRICALLY WELDED" Steel Wire Fences.

PITTSBURGH STEEL COMPANY, **PITTSBURGH, PA.**

"PITTSBURGH PERFECT" FENCES

We make our Fencing out of the following sizes of **heavily galvanized steel wires:**

REGULAR FENCE—Top and Bottom Wires No. 9, all Other Wires No. 11.
Extra Heavy Fence—Top Wire No. 9, Bottom Wire No. 9, all Other Wires No. 10.
"Jumbo" Fence—Top and Bottom Wires No. 9, all Other Wires No. 9.
Razorback Hog Fence—Top and Bottom Wires No. 10, all Other Wires No. 12.
Lawn Fence—Top and Bottom Wires No. 11, all Other Wires, No. 11.
Special Style Poultry and Garden Fence—Top and Bottom Wires No. 11, all Other Wires No. 14.
Regular Style Poultry and Garden Fence—Top and Bottom Wires No. 10, all Other Wires No. 13.
Heavy Style Poultry and Garden Fence—Top and Bottom Wires No. 9, all Other Wires No. 12.

More than ample provision for **expansion** and **contraction** is made in the tension curves and these curves in connection with our **electrically welded** stay wires insure an indestructible fence not attainable elsewhere. **We are the sole manufacturers of "Pittsburgh Perfect" Fences.**

The stays are **electrically welded** to the strands and therefore the stay wires are not **weakened nor the galvanizing broken by twisting around the lateral wires,** and the **joint is indestructible.** There are **no exposed ends to invite rust** and **no wraps to hold moisture,** and on account of the **electrically welded** stay, the tensile strength of the fence is increased to a very great extent. On account of the construction of our fences we alone have accomplished what has long been the aim of all fence manufacturers, namely, to get a **solid steel fence** that is at the same time **adjustable to all levels and deflections,** and we therefore guarantee that it will conform to uneven and rolling ground. **No Wraps to get loose or hold moisture and rust.**

"PITTSBURGH PERFECT" FENCES



All stay wires same size as intermediate strands.

See pages 4 and 5.

Inasmuch as "Pittsburgh Perfect" Fences are constructed on entirely different lines from other fences, from looking at the cuts scarcely anyone would understand how we fasten our stay wires to the strand wires.

We endeavor by means of the cuts on this page to give you an idea as to how this is done. Please note that where the wires are electrically welded, **both stay and strand become one piece of steel** and you get **double strength** at the joints.



The Weld



Sectional view—Amalgamation Perfect. No Seam

No other fence has this advantage and this feature substantiates our claim of having the very **strongest fence** on the market, as you can readily see that no fence made of similar size wire can possibly be as strong as ours.

Nothing but Large, Strong, Well Galvanized Steel Wires Used.

See fence suggestions on pages 36, 37, 38, 39.

"PITTSBURGH PERFECT" FENCES

POINTS In all other fences the stays are either wrapped around the strand or clamped on with washers; therefore the stay is rubbing the strand all of the time and peeling off the galvanizing, causing that strand to rust. Nothing of this in "PITTSBURGH PERFECT" as there are no wraps nor clamps.

It is the Portable Fence, as it can be taken down and moved from one place to the other without the slightest injury to the material, because the stays stay where we put them.

See that Joint, Stay and Strand—one piece. Electrically Welded, the only true amalgamation of metals, and an indestructible joint, the very best.

Any fence with cable wires in it for strands has no provision for expansion or contraction. Diamond Mesh Fences will not conform to uneven ground.

Most of the large railroad companies, when asking for prices on fence, state that they do not want fencing that has twisted cable wires for strands. Why? Because the railroad officials know that cable wires hold moisture, thereby causing rust; that there can be no provision for expansion and contraction in cable wires, and consequently a fence made with cable wires for strands soon rusts out, breaks and is unsightly. Rather hard this, but truth, every word of it.

"PITTSBURGH PERFECT" FENCES

SIZES OF WIRES

Name of Fence	Styles Made Shown on Pages	Top Wire	Bottom Wire	Intermediate or Line Wires	Stays or Upright Wires	Length of Rolls Manufactured
Regular Fence	8 to 13	No. 9	No. 9	No. 11	No. 11	10, 20, 40 Rods
Extra Heavy Fence	8 to 13	No. 9	No. 9	No. 10	No. 10	10 and 20 Rods
"Jumbo" Fence	8 to 13	No. 9	No. 9	No. 9	No. 9	20 Rods
Razorback Hog and Cattle Fence	15	No. 10	No. 10	No. 12	No. 12	10, 20, 40 Rods
Lawn Fence	19	No. 11	No. 11	No. 11	No. 11	10 Rods
Special Poultry and Garden Fence	18	No. 11	No. 11	No. 14	No. 14	10 and 20 Rods
Regular Poultry and Garden Fence	18	No. 10	No. 10	No. 13	No. 13	10 and 20 Rods
Heavy Poultry and Garden Fence	18	No. 9	No. 9	No. 12	No. 12	10 and 20 Rods

IMPORTANT

When ordering always give the style number of the fence you want, and be sure to state whether 6 or 12-inch stays are desired; also if REGULAR, EXTRA HEAVY or "JUMBO" Farm Fence; SPECIAL, REGULAR or HEAVY style Poultry and Garden Fence; Lawn Fence; or Razorback Hog and Cattle Fence.

Always state, when ordering, the size rolls wanted. Unless otherwise ordered, we ship fence in the largest size rolls we make. For size of rolls of different fences, and sizes of wires used in each, see table on this page.

 No waste weight in "PITTSBURGH PERFECT." (See page 7)

"PITTSBURGH PERFECT" FENCES

Full Sizes of all Wires. No Stay Wires Smaller Than Strand Wires.



Buy fence made of large wires — it is cheaper in the end.

"PITTSBURGH PERFECT" "JUMBO" FENCES

"Pittsburgh Perfect" "Jumbo" Fencing is the heaviest practical wire fence fabric manufactured. The top wire is No. 9, the bottom wire is No. 9, intermediate line wires are No. 9, and stay wires are No. 9; in fact, it is an all No. 9 wire fence, welded by electricity, which produces a complete amalgamation of the wires at the joint.

Do not be deceived if you are offered fencing made with No. 9 line wires and lighter than No. 9 stay wires at a less price than the "Pittsburgh Perfect" "Jumbo" styles, but **notice carefully** that **none** of the "Pittsburgh Perfect" Fences are **made with lighter weight upright or stay wires than the wires in the intermediate strands,** which is one of the reasons that "Pittsburgh Perfect" Fences are **the strongest on the market today.**

"Jumbo" Fencing is made in all of the sizes of our Farm Fencing — 55, 47, 39, 32, 26, 20 inch and in 49, 45, 41 and 35 inch cattle fencing. All of this is made with stays 12 inches apart or 6 inches apart.

All No. 9 Heavy, Galvanized Steel wires. You know what this means when worked up into "Pittsburgh Perfect." Vicious stock no more formidable than lambs to the man or woman on the other side of the fence, today, tomorrow, forever.

In view of the special size of wire in these "Jumbo" Fences, their practicability will appeal to thrifty users of fence who desire long life in fence fabric.

A Hint—Every diamond mesh fence on the market has more or less fine wire in its construction and **nearly every one** two small twisted cable wires for strand wires. Fine wire soon rusts through, diamond meshes will not conform to uneven ground and twisted cable wires hold moisture which causes rust. Also, cables cannot have any provision for expansion and contraction, as one wire binds the other. **Moral—Stick to fencing which has none of the above defects.**

 No steel as good as Open-Hearth for fence making. (See page 35)

VERY IMPORTANT (Note Carefully)

IN THE FENCES WE MANUFACTURE, THE PRICE BUYS HEAVIER WIRES THAN USED IN OTHER MAKES. THIS MEANS LONGER LIFE AND BETTER SATISFACTION.

CONSIDER THIS FACT: From 6% to 23% and more of the weight per rod of any wrapped or clamped fence is in the **wraps** or **clamps,** which add **nothing** to strength but detract from appearance, effectiveness and durability. Why pay for **waste wire** which adds nothing but **dead weight** and **cost?** Do not overlook the fact that you also have the freight to pay on this waste wire (dead weight).

The selling price of any other fence made from the same gauge wire as "Pittsburgh Perfect" is greater than the selling price of "PITTSBURGH PERFECT" FENCING.

When buying fencing one of the important points to consider is the size of wire the fence is made of, and **see that the stay wires are of the same size wire as the intermediate lateral wires.** If the stay wire be a smaller wire it decreases the durability of the fence, as a fence is like a chain—no stronger than its weakest link.

Valuable information to fence users on pages 36, 37, 38, 39.

"PITTSBURGH PERFECT" REGULAR, EXTRA HEAVY or "JUMBO" FENCES

No moisture can accumulate.

Better Galvanized Wire than any other.

List Prices Subject to Liberal Discounts.



LIST PRICES, 12 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence Top 9, Bottom 9 All other wires 11		Ex. Heavy nce Top 9, Bottom 9 All other wires 10		"Jumbo" Fence Top 9, Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod	Appr x weight per od	rice per od	Appr'x weight per rod	Price per rod
5511	55	12	10.3	95 cts	12.6	115 cts	14.8	135 cts
4710	47	12	9.1	85 "	11.1	103 "	13.1	121 "
399	39	12	8.1	76 "	9.9	92	11.5	107 "
328	32	12	7.2	67 "	8.7	80	10.2	93 "
267	26	12	6.3	59 "	7.5	69	8.8	81 "
206	20	12	5.5	49 "	6.6	60 "	7.4	69 "

LIST PRICES, 6 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence Top 9, Bottom 9 All other wires 11		Ex. Heavy Fence Top 9, Bottom 9 All other wires 10		"Jumbo" Fence Top 9, Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod
5511	55	6	13.1	125 cts	16.1	155 cts	19.0	182 cts
4710	47	6	11.6	112 "	14.4	137 "	16.8	162 "
399	39	6	10.1	98 "	12.6	122 "	14.5	142 "
328	32	6	8.8	87 "	11.0	108 "	12.5	123 "
267	26	6	7.5	75 "	9.1	90 "	10.9	106 "
206	20	6	6.5	65 "	8.0	80 "	9.0	89 "

See an expert's opinion about size of stay wires on page 39.

"PITTSBURGH PERFECT" REGULAR, EXTRA HEAVY or "JUMBO" FENCES



"Pittsburgh Perfect" Special Hog Fence, Nos. 267 and 206; twenty-six or twenty inches high. Use up your old barl wire as shown above

Stays stay in place. Will last a lifetime. List Prices Subject to Liberal Discounts.

LIST PRICES, 12 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence Top 9, Bottom 9 All other wires 11		Ex. Heavy Fence Top 9, Bottom 9 All other wires 10		"Jumbo" Fence Top 9, Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod
267	26	12	6.3	59 cts	7.5	69 cts	8.8	81 cts
206	20	12	5.5	49 "	6.6	60 "	7.4	69 "

LIST PRICES, 6 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence Top 9, Bottom 9 All other wires 11		Ex. Heavy Fence Top 9, Bottom 9 All other wires 10		"Jumbo" Fence Top 9, Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod	Appr'x weigh't per rod	Price per rod	Appr'x weight per rod	Price per rod
267	26	6	7.5	75 cts	9.1	90 cts	10.9	106 cts
206	20	6	6.5	65 "	8.0	80 "	9.0	89 "

Note what is said about Open-Hearth Steel on page 38.

"PITTSBURGH PERFECT" REGULAR, EXTRA HEAVY or "JUMBO" FENCES



To the Man Who Uses Fencing

In order to make it convenient for the users of fencing to obtain the **"Pittsburgh Perfect"** Fence, we aim to have a first-class dealer in every town handle it and carry it in stock. Ask your dealer for it, and if he does not keep it write us direct and your wants will receive prompt and careful attention.

It is the Perfect Hog Fence. Stays cannot slip. List Prices Subject to Liberal Discounts.

LIST PRICES, 12 INCH STAYS									LIST PRICES, 6 INCH STAYS								
			Regular Fence		Ex. Heavy Fence		"Jumbo" Fence					Regular Fence		Ex. Heavy Fence		"Jumbo" Fence	
Style No.	Height in Inches	Inches bet. Stays	Top 9, Bottom 9 All other wires 11		Top 9, Bottom 9 All other wires 10		Top 9, Bottom 9 All other wires 9		Style No.	Height in Inches	Inches bet. Stays	Top 9, Bottom 9 All other wires 11		Top 9, Bottom 9 All other wires 10		Top 9, Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod				Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod
499	49	12	8.9	82 cts	10.5	96 cts	12.2	113 cts	499	49	6	11.1	106 cts	13.7	130 cts	16.0	152 cts

An Ideal Razorback Hog Fence on page 15.

"PITTSBURGH PERFECT" REGULAR, EXTRA HEAVY or "JUMBO" FENCES



Up Hill or Down Dale. Easily Erected. List Prices Subject to Liberal Discounts.

Get prices on "Pittsburgh Perfect" Fences.

The low cost will surprise you.

The best is the cheapest. This is the best and the cheapest Electrically welded.

LIST PRICES, 12 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence: Top 9, Bottom 9 All other wires 11 — Appr'x weight per rod	Regular Fence — Price per rod	Ex. Heavy Fence: Top 9, Bottom 9 All other wires 10 — Appr'x weight per rod	Ex. Heavy Fence — Price per rod	"Jumbo" Fence: Top 9, Bottom 9 All other wires 9 — Appr'x weight per rod	"Jumbo" Fence — Price per rod
458	45	12	8.0	74 cts	9.7	89 cts	11.0	101 cts

LIST PRICES, 6 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence: Top 9, Bottom 9 All other wires 11 — Appr'x weight per rod	Regular Fence — Price per rod	Ex. Heavy Fence: Top 9, Bottom 9 All other wires 10 — Appr'x weight per rod	Ex. Heavy Fence — Price per rod	"Jumbo" Fence: Top 9, Bottom 9 All other wires 9 — Appr'x weight per rod	"Jumbo" Fence — Price per rod
458	45	6	10. 0	96 cts	12.5	119 cts	14.6	138 cts

Don't fail to read pages 36, 37, 38, 39.

"PITTSBURGH PERFECT" SPECIAL SHEEP AND CATTLE FENCE



This fence is specially adapted to use in turning sheep and cattle.

Spacing between Strands from Bottom to Top in inches; 5-5½-6-7-8-9.
Made in Regular Style, Extra Heavy Style, and Jumbo Style; Stays 12 or 6 inches.

LIST PRICES, 12 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence: Top 9, Bottom 9 All other wires 11 — Appr'x weight per rod	Regular Fence — Price per rod	Ex.Heavy Fence: Top 9, Bottom 9 All other wires 10 — Appr'x weight per rod	Ex.Heavy Fence — Price per rod	"Jumbo" Fence: Top 9, Bottom 9 All other wires 9 — Appr'x weight per rod	"Jumbo" Fence — Price per rod
417	41	12	6.9	69 cts	8.4	78 cts	10.0	93 cts

LIST PRICES, 6 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence: Top 9, Bottom 9 All other wires 11 — Appr'x weight per rod	Regular Fence — Price per rod	Ex.Heavy Fence: Top 9, Bottom 9 All other wires 10 — Appr'x weight per rod	Ex.Heavy Fence — Price per rod	"Jumbo" Fence: Top 9, Bottom 9 All other wires 9 — Appr'x weight per rod	"Jumbo" Fence — Price per rod
417	41	6	9.0	87 cts	11.1	106 cts	13.4	128 cts

Poultry Fence Problem solved—see pages 16 17, 18.

"PITTSBURGH PERFECT" REGULAR, EXTRA HEAVY or "JUMBO" FENCES



The fences shown on Pages 9, 10 and 11 are specially adapted to use in turning horses, obviating danger of harm from lowstrung barb wires.

List Prices Subject to Liberal Discounts.

This fence is sometimes set up 10 or 12 inches from the ground; making a first-class cattle fence.

LIST PRICES, 12 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence: Top 9, Bottom 9 All other wires 11 — Appr'x weight per rod	Regular Fence — Price per rod	Ex.Heavy Fence: Top 9, Bottom 9 All other wires 10 — Appr'x weight per rod	Ex.Heavy Fence — Price per rod	"Jumbo" Fence: Top 9, Bottom 9 All other wires 9 — Appr'x weight per rod	"Jumbo" Fence — Price per rod
356	35	12	6.3	59 cts	7.5	68 cts	8.7	77 cts

LIST PRICES, 6 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence: Top 9, Bottom 9 All other wires 11 — Appr'x weight per rod	Regular Fence — Price per rod	Ex.Heavy Fence: Top 9, Bottom 9 All other wires 10 — Appr'x weight per rod	Ex.Heavy Fence — Price per rod	"Jumbo" Fence: Top 9, Bottom 9 All other wires 9 — Appr'x weight per rod	"Jumbo" Fence — Price per rod
356	35	6	7.9	77 cts	9.7	93 cts	11.3	106 cts

"PITTSBURGH PERFECT" NEW RAZORBACK HOG FENCES

The "Pittsburgh Perfect" Razorback Hog Fence fills a peculiar position in the fence field. There has been a demand for **a very close mesh hog fencing** made of wire **sufficiently** large to **withstand hard usage.**

Our Razorback Hog Fence fills this want. The spaces at the bottom are very close, the first being 2 inches, the second 2½ inches. the third 2½ inches, the fourth 3 inches, the fifth 4 inches and the sixth 5 inches

You will notice the **extremely close spacing between the line wires** of this fence, which makes it impossible for the smallest pigs to go through.

Razorback Hog Fence is made with stays either 6 or 12 inches apart, the close spacing of the line wires making it absolutely hog proof. The top wire is No. 10, the bottom wire is No. 10, the intermediate line wires No. 12, and the stay wires No. 12. The size of this wire insures a fence which will resist attack.

Razorback Hog Fence is made in six heights, starting at 19 inches. The second height 24 inches, the third 30 inches, the fourth 36 inches, the fifth 42 inches and the sixth 48 inches. **No better hog fence can possibly be procured** than this close spaced fence, which can be obtained at moderate price.

The highest perfection in fencing.

Nothing compares with that shown on page 19.

"PITTSBURGH PERFECT" New RAZORBACK HOG FENCE



This fence made in one weight only; top and bottom wires No. 10, all other wires both stay and strand No. 12. Made with stays 12 or 6 inches apart.

Spacing between Strands from Bottom to Top in inches: 2-2½-2½-3-4-5-5-6-6-6-6

The "Pittsburgh Perfect" Razorback Hog Fence fills a peculiar position in the fence field. There has been a demand for **a very close mesh hog fencing** made of wire sufficiently large to **withstand hard usage.**

You will notice the **extremely close spacing between the line wires** of this fence, which makes it impossible for the smallest pigs to go through.

Use no fence with stay wires made of lighter wire than intermediate line wires.

Style No.	Height in Inches	Inches bet. Stays	Top 10, Bottom 10 All other wires 12	
			Appr'x weight per rod	Price per rod
4812	48	12	8.2	80 cts.
4211	42	12	7.5	73 "
3610	36	12	6.9	66 "
309	30	12	6.0	59 "
248	24	12	5.5	52 "
197	19	12	4.8	46 "
4812	48	6	10.0	105 "
4211	42	6	9.0	95 "
3610	36	6	8.0	86 "
309	30	6	7.2	76 "
248	24	6	6.3	68 "
197	19	6	5.5	60 "

"PITTSBURGH PERFECT"

Poultry and Garden Fence

Stands at the head of all Poultry Fences; is made in three different weights, so that a poultry fence to meet the price requirements of any one can be selected from our line.

The spacings in all styles are the same, and are so close where they are needed that it is no longer necessary for any one to use a single foot of the light flimsy hexagon poultry netting, or for dealers to carry it in stock, because the "Pittsburgh Perfect" Poultry and Garden Fence fills every requirement of a Poultry Fence, and is amply strong and close enough to keep out or fence in the smallest Chicks, Horses, Hogs, Cattle or Dogs.

For deer parks no fence like the one shown on page 19.
Two 4-foot widths do the trick.

IMPROVED "PITTSBURGH PERFECT" POULTRY AND GARDEN FENCES

CONTINUED

No other poultry fence ever put on the market sells so readily nor gives such satisfaction as the "Pittsburgh Perfect" Poultry and Garden Fence, and the demand for it is probably greater than all other Poultry and Garden Fences combined.

Made in Five Heights—24 inches, 36 inches, 46 inches, 52 inches, and 58 inches. Has Stay or Upright Wires 6 inches apart. **Is put up in 10 and 20 Rod Rolls. Is made in Three Weights,** namely:

Special Style—Top and Bottom Wire No. 11, all the other wires No. 14.
Regular Style—Top and Bottom Wire No. 10, all the other wires No. 13.
Heavy Style—Top and Bottom Wire No. 9, all the other wires No. 12.

We cannot furnish Poultry and Garden Fence with 12-inch Stays.

Do not use a top board on the "Pittsburgh Perfect" Poultry and Garden Fence. It only gives the chickens a chance to see how high they have to fly to get over, and if you use no board they will not fly over. We put a heavy top and bottom wire on this fence so that there is no necessity for boards.

No hogs can spread the stay wires in "Pittsburgh Perfect" Fencing; consequently no other fence with the same spacings as "Pittsburgh Perfect" spaces can be as effective, because hogs can and do spread the stays on any other wrapped, tied or clamped stay wire fence.

For Sheep and Cattle use fence shown on page 12.

IMPROVED "PITTSBURGH PERFECT" POULTRY AND GARDEN FENCES

This cut describes without words the poultry fence that has won the heart of the farmer and the farm wife—

Improved "Pittsburgh Perfect."

Note how close those wires are.

Honestly, do you think chickens can go through that?

The wires are large and heavy, and the price low.

It is the Only Electrically Welded Poultry and Garden Fence.

List Prices Subject to Liberal Discounts.



Spacings Between Strands from Bottom to Top in Inches:
1½-1½-1½-2-2-2-2-2½-3-3½-3½-4-4½-5-5½-6-6

One hundred large upright wires in every rod of "PITTSBURGH PERFECT" Lawn Fence.

LIST PRICES, 6 INCH STAYS ONLY.

Style No.	Height in Inches	Inches bet. stays	Special Style: Top 11, Bottom 11, All other wires 14 — Appr'x weight per rod	Special Style — Price per rod	Regular Style: Top 10, Bottom 10, All other wires 13 — Appr'x weight per rod	Regular Style — Price per rod	Heavy Style: Top 9, Bottom 9, All other wires 12 — Appr'x weight per rod	Heavy Style — Price per rod
5819	58	6	8.7	101 cts	11.4	134 cts	14.6	172 cts
5218	52	6	8.1	94 "	10.7	126 "	13.7	162 "
4617	46	6	7.5	87 "	9.9	117 "	12.8	151 "
3615	36	6	6.6	77 "	8.6	102 "	11.1	131 "
2412	24	6	5.2	61 "	6.7	80 "	8.6	102 "

"PITTSBURGH PERFECT" LAWN FENCES

Here is a cut of the most perfect of all **Lawn Fences,** the "Pittsburgh Perfect." Every space between the line wires from top to bottom is four inches, and there are almost 100 upright wires in every rod. Its being made of No. 11 wire insures great firmness of material and gives a fabric that is absolutely without a peer.



List Prices Subject to Liberal Discounts.

"Pittsburgh Perfect" Lawn fencing specially adapted to use as a Lawn, Cemetery, Deer Park and Division Fences.

This fencing is one of our latest products and sales have already fulfilled expectations that it would be sold in enormous quantities. **Space between Stays slightly less than 2 inches.**

List Prices, 2 inch Stays only

Style No.	Height in inches	Inches bet. Stays	Lawn Fence: Top 11, Bottom 11 All other Wires 11 — Appr'x weight per rod	Price per rod
4813	48	2	22.8	300 cts.
3610	36	2	17.7	230 "
247	24	2	12.2	160 "

Use fence made of OPEN-HEARTH STEEL WIRE.

"PITTSBURGH PERFECT" "VERIBEST" STRETCHER



Price without Handle, **$6.00** each. Write for Discount.

We strongly urge fence builders to use proper stretching devices in putting up all "Pittsburgh Perfect" Fences. The application of two stretchers is preferable in stretching the Improved Poultry and Garden Fences and the Lawn Fences, on account of the large number of lateral wires being placed very close together.

The stretchers should be so placed as to distribute the pull over the fence, as shown in illustration. Care should be taken in using one stretcher as much as the other, taking up first a link in one and then a link in the other, thus bringing all the wires to the same tension.

Complete instructions for stretching the "Pittsburgh Perfect" Fences are found on pages 26, 27 and 28, and should be closely followed. Stretching is the thing that insures long and satisfactory service and should not be neglected in any detail.

"PITTSBURGH PERFECT" STEEL GATES



"T" Steel Frames. Strong, durable and effective. Shipped complete with latches and hinges for wooden posts. All gates covered with six inch stay "Pittsburgh Perfect" fencing. No other heights or widths than enumerated in this catalogue made by us, nor do we make gates with ornamental tops.

LIST PRICES, WALK GATES

Effective April 1st, 1909. Subject to change without notice.

Size ft. in.	Approx. Weight	List Prices	Size ft. in.	Approx. Weight	List Prices
3 x 34	18	$2.55	4 x 50	25	$3.10
3 x 42	20	2.65	4 x 58	27	3.25
3 x 50	22	2.75	5 x 34	47	4.60
3 x 58	24	2.90	5 x 42	50	4.80
4 x 34	21	2.85	5 x 50	54	5.05
4 x 42	23	3.00	5 x 58	60	5.35

F. O. B. MILLS. **WRITE FOR DISCOUNT.**

For walk gates covered with lawn fencing add 50 cents to net price. We cannot cover with lawn fence gates over 50 inches high.

Set posts four inches farther apart than width of gate.

Unless otherwise ordered all gates will be covered with regular farm fence, stays 6 inches apart.

"PITTSBURGH PERFECT" STEEL GATES

"Pittsburgh Perfect" Gates are made solidly and give lasting service.

For single drive gate covered with lawn fencing add $1.00 to net price.

Set posts 6 inches farther apart than width of gate.

Unless otherwise ordered all gates will be covered with regular farm fence, stays 6 inches apart. We cannot cover with lawn fence, gates over 50 inches high.



LIST PRICES, SINGLE DRIVE GATES.

Effective April 1st, 1909. Subject to change without notice.

Size ft. in.	Approx. Weight	List Prices	Size ft. in.	Approx. Weight	List Prices
10 x 34	79	$6.30	12 x 50	102	$7.50
10 x 42	85	6.65	12 x 58	108	7.85
10 x 50	91	7.05	14 x 34	98	7.10
10 x 58	97	7.40	14 x 42	106	7.45
12 x 34	92	6.90	14 x 50	115	7.95
12 x 42	96	7.20	14 x 58	122	8.30

F. O. B. MILLS. WRITE FOR DISCOUNT.

"PITTSBURGH PERFECT" STEEL GATES

"Pittsburgh Perfect" gates are of simple construction, are strong and durable and give lasting and satisfactory service. They are easily erected and are maintained without constant expense incident to other makes of gates. Set posts 6 inches farther apart than width of gate.

For double drive gates covered with lawn fencing add $1.00 to net price.

Unless otherwise ordered all gates will be covered with regular farm fence, stays 6 inches apart. We cannot cover with lawn fence, gates over 50 inches high.



LIST PRICES, DOUBLE DRIVE GATES.

Effective April 1st, 1909. Subject to change without notice.

Size ft. in.	Approx. Weight	List Prices	Size ft. in.	Approx. Weight	List Prices
10 x 34	94	$8.50	12 x 34	108	$9.10
10 x 42	100	9.00	12 x 42	114	9.55
10 x 50	109	9.55	12 x 50	124	10.10
10 x 58	120	10.20	12 x 58	131	10.65

F. O. B. MILLS. WRITE FOR DISCOUNT.

See fence suggestions on pages 36, 37, 38, 39.

"PITTSBURGH PERFECT" STEEL GATES



LIST PRICES, YANKEE GATES.

Effective April 1st, 1909. Subject to change without notice.

48 inches high—14 feet 10 inches long for 14 foot opening, weight 120 lbs.....$8.45 each
48 inches high—16 feet 10 inches long for 16 foot opening, weight 130 lbs..... 8.90 each

F. O. B. MILLS. WRITE FOR DISCOUNT.

For Yankee gates covered with lawn fencing add $1.00 to net price.
These gates made to fit opening above mentioned. So set your posts as above indicated.
Unless otherwise ordered gates will be covered with regular farm fence, stays 6 inches apart.

 Buy fence made of LARGE WIRES — it is cheaper in the end.

"PITTSBURGH PERFECT" SPECIALTIES

"Pittsburgh Perfect" Smoothgrip Single Wire Stretcher

(PATENTED)

Furnished Complete With Wood Handle.

Has perfectly smooth curved jaws;
Has no teeth to cut nor injure the wire;
Has a positive grip—cannot slip;
Has double jaws opening and shutting automatically;
Wire can be put in on either side, one side for large wire, the other for small, and, with this stretcher you can go right around the post with the wire.
Made of malleable iron with hickory handles.

Absolutely the best single wire stretcher in the world.

It is just what you want for stretching the ends of "Pittsburgh Perfect" Fence from the "Veribest" Stretcher clamp to end post; also for **barbed** and **plain** wire.

PRICE LIST
Effective April 1st, 1909
COMPLETE
WITH WOOD HANDLE
Lots of one-half dozen or more $12.00 per doz. Less quantities $1.25 each.
WRITE FOR DISCOUNT.

"PITTSBURGH PERFECT" FENCE TOOL

The "Pittsburgh Perfect" Fence Tool here illustrated is without doubt the most useful fence tool on the market. It combines hammer, wire cutter, staple and nail puller and splicing tongs.

Price list effective April 1st, 1909, $12.00 per dozen. Write for discount.
Sold only in half dozen and one dozen lots.

"PITTSBURGH PERFECT" "VERIBEST" STRETCHER



Is the simplest, cheapest, strongest and the only satisfactory tool ever gotten out. It distributes the pull over the entire area of the fencing and stretches the whole width of the fencing at a time until the tension is right and fencing is taut.

We especially recommend this stretcher for stretching "Pittsburgh Perfect" Fencing, and it will work equally as well for stretching other makes. We do not ship the wood handles with the stretcher. A hardwood stick five to seven feet long will answer the purpose fully. **When ordering parts for stretcher, specify same by number. Price without handle, $6.00 each. Write for discount.**

Directions for using "Pittsburgh Perfect" "Veribest" Stretcher

This stretcher pulls fence toward end post. Attach the stretcher to end post by passing the post chain through the clevis and around the post, drawing the stretcher as close as possible to the post. Attach wood clamp to fence between stay wires up close to one stay, to be sure you have clamp straight on fence, and with a wrench turn down the nuts until you are sure none of the wires can slip through the clamp in stretching. Bear in mind that the top and bottom wires are larger than the intermediate wires, consequently special care should be exercised in turning down the nuts good and tight, preventing the larger wires holding the clamp apart and allowing intermediate wires to slip.

Attach the large hook on the stretcher chain to wooden clamp, seeing that the same number of wires are above as below stretcher chain hook, so that pull will be evenly distributed, and then attach the claw of holding bar of stretcher to chain about three links from the end. See that you have the stretcher chain perfectly straight before attaching it, so that holding bar will automatically disengage and engage with chain. After you have attached the claw of holding bar of stretcher to chain and have the large hook attached to wooden clamp and chain around post at equal distances from the ground, then attach the claw at the end of stretcher lever to second link of chain in front of claw on holding bar, when you are ready to stretch the fence.

Simply push or pull lever towards wood clamp on fence, when holding bar will automatically unloosen from chain, go forward and take hold of chain; then attach lever again to second link in front of claw on holding bar and proceed as before, continuing this operation until tension is right and fence is well stretched and perfectly taut. When you think you have the fence stretched up almost taut enough, make a half or three quarter stretch by pushing the lever forward far enough to insert little steel pin through hole in

Directions for using "Pittsburgh Perfect" "Veribest" Stretcher

CONTINUED

lever and holding bar, holding the fence by lever. Then all you have to do to unloosen stretcher from chain when through stretching is to push lever far enough to pull out steel pin.

With the "**Pittsburgh Perfect**" "**Veribest**" **Stretcher** you can evenly distribute the pull, preventing any possibility of stretching one wire more than the other; consequently the fence will be perfectly erect after it is stretched and every wire taut. On account of the holding bar of stretcher automatically disengaging and engaging the stretcher chain it requires but one person to operate, as both hands can be on the lever in manipulating the stretcher. The stretcher is more easily operated than any other tool of its kind on the market. It has but few parts, all of which are most durable; consequently it is the simplest, cheapest, strongest and very best stretcher on the market.



SHOWING STRETCHER IN USE.
AFTER USING THIS STRETCHER ONCE YOU WILL USE NO OTHER.
We do not furnish handle with Stretcher—see page 26

See page 20 for application of two Stretchers.

"PITTSBURGH PERFECT" SPLICERS



SPLICER



READY TO SPLICE



SPLICED

Make your splices with the "**Pittsburgh Perfect**" Splicer here illustrated. Trim the fence as indicated above. **Bring the stay wires of the two pieces of fence together** to insure uniform splicing, and splice as indicated. **Hog tight. Stays cannot slip.**

Price 75 cents per dozen. Write for discount.

Valuable information to fence users on pages 36, 37, 38, 39.

"PITTSBURGH PERFECT" FENCES

STARTING TO BUILD

Permanent brace panels with posts set as on page 33 should be put in about every sixty rods where the fence runs in a straight line.

After your posts are set, unroll the fence with the narrow spacings towards the posts. Now staple to end post and be careful that your stays are straight up and down, and that the fence is at least three quarters way around the post. Fasten the stretcher to the other end of the roll, get it on straight, and be sure that your stretcher clamps are screwed as tight as possible. This will prevent the fence from slipping through the stretcher when the tension is put on, and save lots of trouble. Now take up above two or three links with the stretcher and go along the fence line and put a staple on a few line wires to hold the fence in place while stretching.

When stretching, it is well to see that the fence does not bind on the posts. If it does, this can easily be remedied by catching the wire and pulling it like a bow string to keep it from cutting into the posts. In stretching over hilly places lift the fence where you want it, drive staple over wire next to top wire so that fence will pull through. You can do the same thing where there are hollows; simply pull the fence where you want it by standing on bottom wire, and put staple over next to bottom wire. When fence is tight, staple well to the brace and line posts; then, before removing the **"Pittsburgh Perfect" "Veribest"** Stretcher, tighten the wires between the stretcher clamp and end post.

 No steel as good as Open-Hearth for fence making. (See page 35)

BUILDING THE "PITTSBURGH PERFECT" FENCE

As a rule everyone appreciates the necessity of building well a house or a barn; no one would think of throwing a lot of stones in a heap and calling it a foundation, and then on top of this building a house out of the finest material that money can buy. What we want to impress on you is the fact that **we furnish you with the very best fencing material that money can buy** and consequently want you to do it justice by building it **right**; then you will have a fence that will last a lifetime, will be "a thing of beauty" and consequently "a joy forever." It is just as easy and a great deal more satisfactory to **build right in the first place** than it is **not to build right.**

END AND CORNER POSTS

Particular attention **must** be given to **Setting and Bracing** the **End** and **Corner** posts. If we had the space to spare in this little book we would tell you this over and over again. The life, the very existence of any fence depends largely on the End and Corner posts. On them is **all the strain;** so get **good posts** for your **Ends** and **Corners** and set them not less than three and one-half to four and one-half feet into the ground and anchor and brace as shown in cut on page 33.

BUILDING THE "PITTSBURGH PERFECT" FENCE

CONTINUED

Intermediate or Line Posts should be the **cheapest good post obtainable.**

They really act as stays, but the real strain is on the End and Corner posts.

The Intermediate or Line posts should be set about a rod (16½ feet) apart for ordinary purposes. Some farmers set them twenty, twenty-five and up to thirty-five or forty feet apart and get good resu ts; but for **best results** we suggest that these posts be a rod apart.

BRACING

In erecting **The Pittsburgh Perfect Fence** so that the strain caused by the curves which take care of the expansion and contraction will not in time pull the End posts out of the ground, it is necessary that you brace the End posts well. This is done by setting a post about three and one-half to four and one-half feet in the ground and about ten or twelve feet distant from the **End or Corner Post;** then brace with a piece of 4 x 4 timber as shown on page 33. Mortise the brace into the posts and spike well. Next take a piece of No. 7 or No. 8 Galvanized Wire, bring it around both the End post and Brace post and tie or splice the ends together. Now take a good stout stick about three feet long and twist this bracing wire as shown in cut until there is a good strain on both End and Brace posts as well as on the wooden brace. Now staple the brace wire to posts as shown in cut. This prevents the wire from slipping and the Corner or End post from turning while you are stretching your fence.

An Ideal Razorback Hog Fence on page 15.

"PITTSBURGH PERFECT" FENCES



SET, ANCHOR AND BRACE, END AND CORNER POSTS AS ABOVE INDICATED.

Don't fail to read pages 36, 37, 38, 39.

"PITTSBURGH PERFECT" FENCES

THE BEST, BECAUSE

1. Stays are **Electrically Welded** to the strands, forming a perfect union and an amalgamation with the strands not found in any other fence.
2. **All stay wires are made as heavy as intermediate line wires. A fence, like a chain, is only as strong as the lightest material in it. Think this over carefully.**
3. No wraps to get loose, to hold moisture and cause rust.
4. No projections to injure stock or tear wool from sheep.
5. Stronger at the joints than any other fence. Welded together by electricity.
6. Guaranteed that the wire is not injured at the joints.
7. Guaranteed adjustable to uneven ground.
8. Guaranteed that stays will not separate from strands.
9. Guaranteed all right in every particular.
10. Made by the most modern process and on the latest improved machinery.
11. Most of the weak points in other fences are on account of the way the stays are fastened.

Our stays are amalgamated with the strands by means of electricity and the strength of the fence increased a hundredfold over the strength of a fence where the stays are wrapped or clamped on the strands.

You may pay more money for other fences but you cannot get as good a fence as "Pittsburgh Perfect."

Young Orchards thrive when fenced with our Poultry and Garden Fence. Rabbits cannot get in. (See page 18.)

For Sheep and Cattle use fence shown on page 12.

"PITTSBURGH PERFECT" FENCES

ARE THE BEST, BECAUSE

They are all made of **Open-Hearth Steel Wire** and of an exceptionally high grade of Open-Hearth Steel at that, manufactured by ourselves (**Our Own Mixture and Formula**), in our immense Steel Mills, which insures us a **Uniform Quality** and **Superior Grade,** which we know from our many years experience in the steel and wire business is the **Best Steel** that can be produced **for Fence Making** and is of a very much superior quality than is used in other fences on the market, of which practically all are made of Bessemer Steel Wire. **Open-Hearth Steel** is superior for many purposes aside from fence making. A rivet made of Open-Hearth Steel can be hammered flat without breaking as the steel is of a uniform quality. Bessemer Steel is not so homogeneous, as a Bessemer Steel Ingot is likely to have hard spots in it which become very harmful when the metal is drawn out into wire, while our **Open-Hearth Process Makes Steel that is Always Uniform in Quality.**

Open-Hearth Steel is more homogeneous than Bessemer.

VALUABLE SUGGESTIONS TO FENCE PURCHASERS

BY AN EXPERT OF THE U. S. DEPARTMENT OF AGRICULTURE.

That eminent scientist, Dr. Allerton S. Cushman, of the United States Department of Agriculture, who is in charge of physical and chemical investigations, and who has been investigating among other things for the past six or eight years the Wire Fencing made in the United States, appeared before the Agricultural Appropriation Bill Committee of the United States Department of Agriculture, under date of December 14th, 1909, and we are pleased to be able to quote some of his statements with reference to Wire Fencing in general.

In answer to the question of the Chairman of that Committee as to what Dr. Cushman found to be wrong with fence wire and what remedy he had devised, Dr. Cushman replied that the first thing wrong with fence wire was that it was being made out of carelessly made steel, and, also, the amount and character of the zinc covering that was put on top left much to be desired.

 Note what is said about Open-Hearth Steel on page 38.

By An Expert of the U. S. Department of Agriculture.

He also said that he had suggested certain modifications to prominent wire manufacturers, and that his suggestions had to a considerable extent been adopted by them. Also, that there were only a few manufacturers in this country who make their own steel, while there were hundreds of manufacturers of fence in the country, but there were only three he believed who made their own steel, all of the other fence manufacturers buying their galvanized wire already galvanized from one of these three manufacturers; so that, when he said that modifications had been made at his advice and suggestions, he was speaking only of those manufacturers who made their own steel. The Chairman of the Committee asked what these modifications have been and what the results of them are, and Dr. Cushman stated as follows:

"The modifications are, **first and foremost, to use a more even and more homogeneous steel** in the wire to control the amount of impurities that steel contains, so that one batch of steel that comes out of a furnace will be as nearly as possible like the next one."

See an expert's opinion about size of stay wires on page 39.

VALUABLE SUGGESTIONS TO FENCE PURCHASERS—Continued

By An Expert of the U. S. Department of Agriculture.

He also stated that metals of a different chemical constitution, such as Bessemer and Open-Hearth, should not be assembled in a structure, as the assembling and connecting of metals of different constitution is one of the controlling influences which hastens or stimulates the corrosion (rust) of the metal. Again quoting from his statement, he said: "Some of the manufacturers now **USE ONLY OPEN-HEARTH STOCK, WHICH I BELIEVE TO BE SUPERIOR.**"

"Pittsburgh Perfect" Fencing is made out of Open-Hearth Steel Entirely. We make all of our own Open-Hearth Steel.

As an evidence of one of the results of Dr. Cushman's investigations on the fence problem, we quote another extract from his statement before the Agricultural Appropriation Bill Committee. He said: "**I do not believe that a wire fence should ever be put on an American farm that has a wire in it lighter than No. 9 gauge,** and yet the great majority of fences are made of wire that run as low as No. 12 and No. 14 gauge, especially in the up and down wires which are called the stay wires. In many cases these rust within a year and a half. **This is because IT IS IMPOSSIBLE TO PUT AS MUCH ZINC ON A LIGHT GAUGE WIRE AS ON A HEAVY GAUGE WIRE. THAT IS A TECHNICAL FACT.**"

No. 9 Gauge wire only, used in "PITTSBURGH PERFECT" Jumbo Fence.

VALUABLE SUGGESTIONS TO FENCE PURCHASERS—Continued

By An Expert of the U. S. Department of Agriculture.

In nearly every type with which I am familiar, the stay wires are entirely too light to last long, **and my advice is never to have a stay wire lighter than a line wire on any fence.** Instead of selecting a fence of 12 wires, 58 inches high, economize, if necessary, by using a fence with fewer wires in it, **but do not practice the false economy of cutting down the weight of the wires.**

We fully endorse the above recommendations. There is no question but that large wires in a fencing will last longer and in the end are the cheapest, because the cost per rod of fence made out of the larger wires does not increase in the same proportion as the size of the wire, nor nearly in proportion with the additional service that large wires (No. 9 or No. 10) will give; and, while we make "Pittsburgh Perfect" Fence either out of light or heavy wires to meet the price ideas of different purchasers, and guarantee that "Pittsburgh Perfect" Fence will give better service than any other fence made out of similar sized wires, still we know that our Fencing made out of all No. 10 or all No. 9 wire will give the customer better satisfaction than any other fence he can buy.

Use no fence with stay wires made of lighter wire than intermediate wires.

PRICE LIST TO AGENTS

Taking Effect January 1, 1910

Canceling all price lists prior to this date.

"PITTSBURGH PERFECT" FENCING

Weights and heights given in these price lists practically exact, but very slight variations may occur, so all material is shipped at actual weight only.

Style No.	Cuts Shown on Page	Height in Inches	Inches bet. stays	Regular Fence		Ex. Heav. Fence		"Jumbo" Fen.	
				Appr'x wt. per rod	Price per rod	Appr'x wt. per rod	Price per rod	Appr'x wt. per rod	Price per rod
5511	8	55	12	10.3	95 cts.	12.6	115 cts.	14.8	135cts.
4710	8	47	12	9.1	85 "	11.1	103 "	13.1	121 "
399	8	39	12	8.1	76 "	9.9	92 "	11.5	107 "
328	8	32	12	7.2	67 "	8.7	80 "	10.2	93 "
267	9	26	12	6.3	59 "	7.5	69 "	8.8	81 "
206	9	20	12	5.5	49 "	6.6	60 "	7.4	69 "
5511	8	55	6	13.1	125 "	16.1	155 "	19.0	182 "
4710	8	47	6	11.6	112 "	14.4	137 "	16.8	162 "
399	8	39	6	10.1	98 "	12.6	122 "	14.5	142 "
328	8	32	6	8.8	87 "	11.0	108 "	12.5	123 "
267	9	26	6	7.5	75 "	9.1	90 "	10.9	106 "
206	9	20	6	6.5	65 "	8.0	80 "	9.0	89 "
499	10	49	12	8.9	82 "	10.5	96 "	12.2	113 "
458	11	45	12	8.0	74 "	9.7	89 "	11.0	101 "
417	12	41	12	6.9	69 "	8.4	78 "	10.0	93 "
356	13	35	12	6.3	59 "	7.5	68 "	8.7	77 "
499	10	49	6	11.1	106 "	13.7	130 "	16.0	152 "
458	11	45	6	10.0	96 "	12.5	119 "	14.6	138 "
417	12	41	6	9.0	87 "	11.1	106 "	13.4	128 "
356	13	35	6	7.9	77 "	9.7	93 "	11.3	106 "

IMPROVED POULTRY AND GARDEN FENCING

				Special Style		Regular Style		Heavy Style		
5819	18	58	6	8.7	101cts.	11.4	134cts.	14.6	172cts.	6 in. Stay only.
5218	18	52	6	8.1	94 "	10.7	126 "	13.7	162 "	
4617	18	46	6	7.5	87 "	9.9	117 "	12.8	151 "	
3615	18	36	6	6.6	77 "	8.6	102 "	11.1	131 "	
2412	18	24	6	5.2	61 "	6.7	80 "	8.6	102 "	

LAWN FENCING

4813	19	48	2	22.8	300cts.	The closest square meshed heavy wire fabric in the world.
3610	19	36	2	17.7	230 "	
247	19	24	2	12.2	160 "	

NEW RAZORBACK HOG AND CATTLE FENCE

4812	15	48	12	8.2	80cts.
4211	15	42	12	7.5	73 "
3610	15	36	12	6.9	66 "
309	15	30	12	6.0	59 "
248	15	24	12	5.5	52 "
197	15	19	12	4.8	46 "
4812	15	48	6	10.0	105 "
4211	15	42	6	9.0	95 "
3610	15	36	6	8.0	86 "
309	15	30	6	7.2	76 "
248	15	24	6	6.3	68 "
197	15	19	6	5.5	60 "

THE ABOVE PRICE LIST APPLIES TO FENCE MADE OUT OF THE FOLLOWING SIZES OF WIRE:

REGULAR FENCE.—Top and bottom wires No. 9. All other wires, both stays and strands, No. 11.

EXTRA HEAVY FENCE.—Top and bottom wires No. 9. All other wires, both stays and strands, No. 10.

"JUMBO" FENCE.—Top and bottom wires, stays and strand wires, all No. 9.

SPECIAL POULTRY AND GARDEN FENCE.—STYLE. Top and bottom wires, No. 11. All other wires, both stays and strands, No. 14.

REGULAR POULTRY AND GARDEN FENCE.—STYLE. Top and bottom wires, No. 10. All other wires, both stays and strands, No. 13.

HEAVY POULTRY AND GARDEN FENCE.—STYLE. Top and bottom wires, No. 9. All other wires, both stays and strands, No. 12.

LAWN FENCE.—Top and bottom wires, stays and strand wires, all No. 11.

NEW RAZORBACK HOG AND CATTLE FENCE.—Top and bottom wires, No. 10. All other wires, both stays and strands, No. 12.

IMPORTANT NOTE.

In all the style numbers, the first two figures always indicate the height of the fence in inches and the figures following the first two figures indicate the number of bars or lateral wires in the fence; thus, style number 5511, means the fence is 55 inches high and has 11 bars or lateral wires. When ordering always give the style number of the fence you want, and be sure to state whether **Regular, Extra Heavy,** or **"Jumbo" Farm Fence;** or **Special, Regular** or **Heavy Poultry** and **Garden Fence** is wanted.

Regular Farm Fence and Razorback Hog and Cattle Fence put up in 10, 20 and 40 rod rolls.

Extra Heavy Farm Fence, put up in 10 and 20 rod rolls.

"Jumbo" Fence, put up in 20 rod rolls.

Poultry and Garden Fence, put up in 10 and 20 rod rolls.

Lawn Fence, put up in 10 rod rolls.

List Price on Stretchers, Splicers and Fence Tools.

"Pittsburgh Perfect" "Veribest" Stretcher, without handle	$ 6 00	each.
"Pittsburgh Perfect" Smooth grip Single Wire Stretchers	1 25	"
(In lots of ½ dozen or more)	12 00	per doz.
Splicers	75	"
Fence Tools	12 00	"

For price list of Drive Gates see pages 22, 23 and 24.

PITTSBURGH STEEL COMPANY,
PITTSBURGH, PA.

FENCE.—Top and bottom wires No. 9. All other both stays and strands, No. 11.
EAVY FENCE.—Top and bottom wires No. 9. All wires, both stays and strands, No. 10.
FENCE.—Top and bottom wires, stays and strand all No. 9.
POULTRY AND GARDEN FENCE.—STYLE. Top ttom wires, No. 11. All other wires, both stays and No. 14.
POULTRY AND GARDEN FENCE.—STYLE. Top ttom wires, No. 10. All other wires, both stays and No. 13.
OULTRY AND GARDEN FENCE.—STYLE. Top ttom wires, No. 9. All other wires, both stays and No. 12.
VCE.—Top and bottom wires, stays and strand wires, 11.
ORBACK HOG AND CATTLE FENCE.—Top and wires, No. 10. All other wires, both stays and No. 12.

IMPORTANT NOTE.

e style numbers, the first two figures always he height of the fence in inches and the llowing the first two figures indicate the bars or lateral wires in the fence; thus, ber 5511, means the fence is 55 inches high 11 bars or lateral wires. When ordering e the style number of the fence you want, re to state whether **Regular, Extra Heavy, o'' Farm Fence**; or **Special, Regular** or **ultry and Garden Fence** is wanted.

Farm Fence and Razorback Hog and Cattle up in 10, 20 and 40 rod rolls.

leavy Farm Fence, put up in 10 and 20 rod

'' Fence, put up in 20 rod rolls.

and Garden Fence, put up in 10 and 20 rod

ence, put up in 10 rod rolls.

List Price on
Stretchers, Splicers and Fence Tools.

Perfect" "Veribest" Stretcher, with-
handle ..... $ 6 00 each.
Perfect" Smooth grip Single Wire
chers ..... 1 25 "
(In lots of ½ dozen or more)..... 12 00 per doz.
..... 75 "
..... 12 00 "

list of Drive Gates see pages 22, 23 and 24.

PITTSBURGH STEEL COMPANY,
PITTSBURGH, PA.

Digitized by ASSOCIATION FOR PRESERVATION TECHNOLOGY, www.apti.org for the BUILDING TECHNOLOGY HERITAGE LIBRARY
https://archive.org/details/buildingtechnologyheritagelibrary
From the collection of Gerron S. Hite, West Texas Collection, Angelo State University, San Angelo, TX

STRENGTH ECONOMY

"PITTSBURGH PERFECT" FENCES



DURABILITY

FOR EVERY FENCE PURPOSE